

Risk Adjustment

A comparison between the APACHE II and Charlson Index Score for predicting hospital mortality in critically ill patients: a population based cohort study

Quach S, Hennessy D, Faris P, Fong A, Quan H, Doig C.
BMC: Health Services Research 2009, Jul 30;9(1):129

A modification of the Elixhauser comorbidity measures into a point system for hospital death using administrative data

van Walraven C, Austin PC, Jennings A, Quan H, Forster AJ
Medical Care 2009 June 47: 626–633

Risk adjustment performance of Charlson and Elixhauser comorbidities in ICD-9 and ICD-10 administrative databases

Li B, Faris P, Dean S, Evans D, Quan H.
BMC Health Services Research. 2008 Jan 14;8(1):12

Validation of the Thrombolysis In Myocardial Infarction (TIMI) risk index for predicting early mortality in a population-based cohort of STEMI and non-STEMI patients

Bradshaw PJ, Ko DT, Newman AM, Donovan LR, TU JV.
Canadian Journal of Cardiology ;23:51-6, 2007

ICD-10 adaptations of the Ontario acute myocardial infarction mortality prediction rules performed as well as the original versions

Vermeulen MJ, TU JV, Schull MJ.
Journal of Clinical Epidemiology; 60:971-974, 2007

Risk-adjusted potentially avoidable reoperation rates computed from routine data help hospitals identify quality problems

Halfon P, Egli Y, Matter M, Kallay C, van Melle G, Burnand B.
Journal of Clinical Epidemiology 2007;60 :56-67

Validity of the GRACE acute coronary syndrome prediction model for 6-month post-discharge death in an independent data set

Bradshaw P, Ko DT, Newman A, Donovan L, TU JV.
Heart 92:905-9, 2005

Comparison of the Elixhauser and Charlson/Deyo methods of comorbidity measurement in administrative data.

Southern DA, Quan H, Ghali W.
Medical Care 2004;42:355-360

Risk Adjustment

Adapting the Charlson comorbidities index for use in patients with ESRD

Hemmelgarn BR, Manns BJ, Quan H, Ghali WA.
American Journal of Kidney Disease 2003;42:125-132

Predicting mortality among patients hospitalized for heart failure: derivation and validation of a clinical model

Lee DS, Austin PC, Rouleau JL, Liu PP, Naimark D, TU JV.
JAMA 290:2581-2587, 2003

Clinical prediction of deep venous thrombosis through two risk assessment methods in combination with rapid quantitative ELISA d-dimer testing

Cornuz J, Ghali WA, Hayoz D, Stoianov R, Depairon M, Yersin B.
American Journal of Medicine. 2002;112:198-203

Risk adjustment using administrative data: impact of a diagnosis type indicator

Ghali WA, Quan H, Brant R.
Journal of General Internal Medicine 2001;16:519-524

Risk-adjusting acute myocardial infarction mortality: Are APR-DRGs the right tool?

Romano PS, Chan BK.
Health Services Research; 2000; 34:1469-89

Development and validation of the Osteoporosis Risk Assessment Instrument to facilitate selection of women for bone densitometry

Cadarette SM, Jaglal SB, Kreiger N, Darlington G, McIsaac W, TU JV.
Canadian Medical Association Journal 162:1289-1294, 2000

Ready-made recalibrated or remodelled? Issues in the use of risk indices for assessing mortality after coronary artery bypass graft surgery

Ivanov J, TU JV, Naylor CD.
Circulation 99:2098-2104, 1999.

The Goldman and Detsky surgical risk indices: do they work in patients undergoing hip fracture surgery?

Chan AW, Livingstone D, TU JV.
Annals RCPSC 32:337-341, 1999

Searching for an improved clinical comorbidity index for use with ICD-9-CM administrative data

Ghali WA, Hall RE, Rosen AK, Ash AS, Moskowitz MA
Journal of Clinical Epidemiology 1996;49:273-278

Risk Adjustment

**The Steering Committee of the Provincial Adult Cardiac Care Network of Ontario.
Multicenter validation of a risk index for mortality ICU stay and overall hospital
length of stay after cardiac surgery**

TU JV, Jaglal SB, Naylor CD,
Circulation 91:677-684, 1995

(Article subject of editorial: Hammermeister K. Risk predicting outcomes and improving care. *Circulation* 91:899-900, 1995) (Senior Responsible Author)

**Further evidence concerning the use of a clinical comorbidity index with ICD-9-CM
administrative data**

Romano PS, Roos LL, Jollis JG.

Journal of Clinical Epidemiology 1993; 46: 1085-1090

**Adapting a clinical comorbidity index for use with ICD-9-CM administrative data:
differing perspectives**

Romano PS, Roos LL, Jollis JG.

Journal of Clinical Epidemiology; 1993; 46:1075-9