

Statistics and Analysis

Using multiple data features improved the validity of osteoporosis case ascertainment from administrative data

Lix, L. M., Yogendran, M. S., Leslie, W. D., Shaw, S. Y., Baumgartner, R., Bowman, C., Metge, C. (in press)
Journal of Clinical Epidemiology

Measuring validity of administrative data using prevalence unadjusted and adjusted Kappa

Chen G, Faris F, Hemmelgarn B, Walker RL, Quan H.
BMC: Medical Research Methodology 2009, Jan, 9:5.

The Impact of Using Different Costing Methods on the Results of an Economic Evaluation of Cardiac Care: Microcosting vs Gross-costing Approaches

FM Clement, WA Ghali, C Donaldson, BJ Manns.
Health Economics. E-published July 10, 2008

Feasibility of determining myocardial infarction type from medical record review

Woo KS, Ghali WA, Southern DA, Tu JV, Parsons G, Graham MM.
Can J Cardiol. 2008; 24(2):115-7

Sampling 'hard-to-reach' populations in health research: yield from a study targeting Americans living in Canada

Southern DA, Lewis S, Maxwell CJ, Dunn JR, Noseworthy TW, Corbett G, Thomas K, Ghali WA.
BMC Medical Research Methodology. 2008;8:57

Invasive pneumococcal disease in Victoria: a better measurement of the true incidence

Clothier H.J., Vu T., Sundararajan V., Andrews R., Counahan M., Tallis G., and Lambert S.B.
Epidemiol Infect. 2008 Feb;136(2):225-31

Functional mapping of hospitals by diagnosis-dominant case-mix analysis

Fushimi, K., Hashimoto, H., Imanaka, Y., Kuwabara, K., Horiguchi, H., Ishikawa, K. B., Matsuda, S.
BMC Health Services Research 7:50, 2007

Ethnicity, discrimination and health outcomes: A secondary analysis of hospital data from Victoria, Australia

Sundararajan V., Reidpath D.D., and Allotey P.
Diversity in Health and Social Care, Volume 4, Number 1, March 2007 , pp. 21-32(12)

Application of Diagnosis Procedure Combination Case Mix System and National Patient Database to Regional Estimation of Disease Structure and Disease Management

Fushimi, K., Matsuda, S.

Asian Pacific J Disease Management 1(1): 29-33, 2007

Quality and usefulness of an anonymous unique personal identifier to link hospital stays recorded in French claims databases

Trombert-Paviot B, Couris CM, Couray-Targe S, Rodrigues JM, Colin C, Schott AM. *Rev Epidemiol Sante Publique*. 2007 Jun;55(3):203-11. French.

Adaptive robust estimation and testing

Keselman, H. J., Wilcox, R. R., Lix, L. M., Algina, J., & Fradette, K.

British Journal of Mathematical and Statistical Psychology; 2007; 60, 267-293

Role of hospital claims databases from care units for estimating thyroid cancer incidence in the Rhône-Alpes region of France

Hafdi-Nejjari Z, Couris CM, Schott AM, Perrot L, Bourgoin F, Borson-Chazot F, Sassolas G. *Rev Epidemiol Sante Publique*. 2006 Oct;54(5):391-8. French.

Erratum in: Rev Epidemiol Sante Publique. 2007 Feb;55(1):76. Schot, A-M [corrected to Schott, A-M].

Administrative data repositories. A reliable instrument for tracking stroke

Moore, D. F., Lix, L. M., Yogendran, M. S., Martens, P., & Tamayo, A.

Chronic Diseases in Canada, 2006

Dealing with Missing Data in a Multi-Question Depression Scale: A Comparison of Imputation Methods

FM Shrive, H Stuart, H Quan, WA Ghali.

Submitted to BMC Health Services Research. BMC Medical Research Methodology 2006, 6:57

French claims data as a source of information to describe cancer incidence: predictive values of two identification methods of incident prostate cancers

Couris CM, Seigneurin A, Bouzbid S, Rabilloud M, Perrin P, Martin X, Colin C, Schott AM. *J Med Syst*. 2006 Dec;30(6):459-63.

Assessing Correct Record Linkage between Administrative Data and Vital Statistics

Li B, Quan H, Fong A, Lu M.

BMC Health Services Research 2006; 6:48

Development and validation of a surname list to define Chinese ethnicity

Quan H, Wang FL, Schopflocher D, Norris C, Galbraith PD, Faris P, Graham MM, Knudtson ML.

Medical Care 2006;44:328-333

Analysis of the medical activity related to cancer in a network of multidisciplinary hospitals using claims databases, the reseau Concorde Oncology Network

Schott AM, Hajri T, Gelas-Dore B, Couris CM, Couray-Targe S, Trillet-Lenoir V, Dumeril B, Grandjean JP, Lledo G, Poncet JL, Colin C, Cautela N, Gilly FN.

Bull Cancer. 2005 Feb;92(2):169-78. French.

The use of the propensity score for estimating treatment effects: administrative versus clinical data

Austin PC, TU JV, Daly PA, Alter DA.

Statist Med 24:791-816, 2005

A Methodological Framework for the Conversion of Procedure Classifications

Stausberg, J.; Dahmen, B.; Drösler, S.E.

Methods of Information in Medicine; 2005; (44), Nr. 1, S. 57-65

Sensitivity and specificity of two methods used to identify incident breast cancer in specialized units using claims databases

Couris CM, Forêt-Dodelin C, Rabilloud M, Colin C, Bobin JY, Dargent D, Raudrant D, Schott AM.

Rev Epidemiol Sante Publique. 2004 Apr;52(2):151-60. French.

Do well-publicized risk-adjusted outcomes reports affect hospital volume?

Romano PS, Zhou H.

Medical Care; 2004; 42:367-77

Policy Analysis in an Information-Rich Environment

Roos LL, Menec V, Currie RJ

Soc Sci & Med., 2004; 58(11):2231-2241

Automated variable selection methods for logistic regression produced unstable models for predicting acute myocardial infarction mortality

Austin PC, TU JV.

J Clin Epidemiol 57:1138-1146, 2004

A framework for modeling differences in regional mortality over time

Lix, L. M., Ekuma, O., Brownell, M., & Roos, L. L.

Journal of Epidemiology and Community Health; 2004; 58, 420-425

A comparison of several regression models for analysing cost of CABG surgery

Austin PC, Ghali WA, TU JV.

Stat Med; 22:2799-2815, 2003

Developing risk-adjusted 30-day hospital mortality rates

Tourangeau AE, TU JV.
Res Nurs & Health 26:483-496, 2003

Working More Productively: Tools for Administrative Data

Roos LL, Soodeen RA, Bond R, Burchill C
Heal Serv Res., 2003; 38(5):1339-1357

Bias in estimates of confidence intervals for health outcome report cards

Faris PD, Ghali WA, Brant R.
Journal of Clinical Epidemiology 2003;56:553-8

Comparing hierarchical modeling with traditional logistic regression analysis among patients hospitalized with acute myocardial infarction: should we be analyzing cardiovascular outcomes data differently?

Austin PC, TU JV, Alter DA.
Am Heart J 145; 27-35, 2003

Misclassification of income quintiles derived from area-based measures: a comparison of enumeration area and forward sortation area

Southern DA, Ghali WA, Faris PD, Norris CM, Galbraith PD, Graham MM, Knudtson ML, for the APPROACH Investigators.
Canadian Journal of Public Health. 2002;93:465-9.

A comparison of multiple imputation and data enhancement methods for dealing with missing data in observational health care outcome analyses

Faris PD, Ghali WA, Brant R, Norris CM, Knudtson ML for the APPROACH Investigators
Journal of Clinical Epidemiology. 2002;55(2):184-91

A comparison of statistical modeling strategies for analyzing length of stay after CABG surgery

Austin PC, Rothwell DM, TU JV.
Health Services & Outcomes Research Methodology 3:107-133, 2002

Two-phase study to assess the number of cases based on claims databases: characteristics of the validation data set

Couris CM, Rabilloud M, Colin C, Ecochard R.
Methods Inf Medicine 2002;41(4):349-56.

Method of correction to assess the number of hospitalized incident breast cancer cases based on claims databases

Couris CM, Colin C, Rabilloud M, Schott AM, Ecochard R.
J Clin Epidemiol. 2002 Apr;55(4):386-91

A comparison of a Bayesian versus a frequentist method for profiling hospital performance

Austin PC, Naylor CD, TU JV

J Eval Clin Pract 7:35-45, 2001

A comparison of two methods for calculating adjusted survival curves from proportional hazards models

Ghali WA, Quan H, Brant R, van Melle G, Norris CM, Faris, Knudtson ML, for the APPROACH Investigators.

Journal of American Medical Association 2001;286:1494-1497

Automated databases and the need for fieldwork in pharmacoepidemiology

Hemmelgarn BR, Blais L, Collet JP, Ernst P, Suissa S.

Pharmacoepidemiology & Drug Safety 1994;3:275-282